



# Handleiding wachtwoord plaatsen op een map binnen Plesk 11


Deze handleiding beschrijft hoe u een wachtwoord kunt plaatsen op een map. Wachtwoord beveiliging op een map is bruikbaar als u alleen een beperkte hoeveelheid website bezoekers toegang wilt geven via een login pop up venster.

## Inhoud

Wachtwoord mappen opvragen .....	2
Toevoegen van een nieuwe map met wachtwoord.....	3

## Wachtwoord mappen opvragen

- 1) Login op uw Plesk omgeving met de daarvoor bestemde inloggegevens welke u bij de oplevering van het pakket ontvangen heeft. Klik op het tabblad 'Websites & Domains'




The screenshot shows the Denit Plesk control panel interface. At the top, it indicates the user is logged in as 'jouweigenwebsite.nl' and the subscription is 'jouweigenwebsite.nl'. The main navigation bar includes 'Home', 'Users', 'Websites & Domains', 'Mail', 'Statistics', and 'Account'. The 'Websites & Domains' section is active, displaying a list of management tools: File Manager, Backup Manager, Web Statistics, Web Hosting Access, FTP Access, and Databases. At the bottom of this section, there is a link for 'Show Advanced Operations'.

- 2) Klik vervolgens op het + teken bij 'Show advanced operations'



- 3) Klik daarna op 'Password-protected directories'




The screenshot shows the 'Protected directories under the website jouweigenwebsite.nl' page. It features a search bar and a 'Reset Search' button. Below the search bar, there is a table listing protected directories. The table has two columns: 'Name' and 'Title of the protected area'. One entry is visible: '/plesk-stat' with the title 'Domain statistics'. The page also shows '1 Protected directories total' and 'Number of entries per page: 10 25 100 All'.

U bent nu op de pagina waar u de mappen kunt vinden die met een wachtwoord zijn ingesteld.

## Toevoegen van een nieuwe map met wachtwoord

- 1) Login op uw Plesk omgeving met de daarvoor bestemde inloggegevens welke u bij de oplevering van het pakket ontvangen heeft. Klik op het tabblad 'Websites & Domains'




The screenshot shows the Denit Plesk control panel interface. At the top, there is a navigation bar with tabs for Home, Users, Websites & Domains (selected), Mail, Statistics, and Account. The main content area is titled 'Websites & Domains' and contains several utility cards: File Manager, Backup Manager, Web Statistics, Web Hosting Access, FTP Access, and Databases. A 'Show Advanced Operations' link is visible at the bottom left of the main content area.

- 2) Klik vervolgens op het + teken bij 'Show advanced operations'




- 3) Klik daarna op 'password-protected directories'. U komt dan uit op onderstaande pagina.



The screenshot shows the 'Protected directories under the website' page. The page title is 'Protected directories under the website jouweigenwebsite.nl'. There is a search bar with 'Remove Protection' and 'Add Protected Directory' buttons. Below the search bar, there is a table listing protected directories. The table has columns for 'Name' and 'Title of the protected area'. One entry is visible: '/plesk-stat' with the title 'Domain statistics'. The page also includes pagination information: '1 Protected directories total' and 'Number of entries per page: 10 25 100 All'.

- 4) Klik op 'Add protected directory'. Waarna u uitkomt op onderstaande pagina



Denit Quality does matter  
hosting solutions

Logged in as [jouweigenwebsite.nl](#) ▾  
Subscription [jouweigenwebsite.nl](#)

Help ▾ Search...

Powered by Parallels

Home Users Websites & Domains Mail Statistics Account

Password protected directories >

### Create a new protected directory under the site [jouweigenwebsite.nl](#) [Up Level](#)

Settings

Directory name \*

Directory location  Document root  
 cgi-bin

Title of the protected area

\* Required fields

- 5) Vul in het veld bij 'Directory Name' de nieuwe map naam in om aan te kunnen maken in de map httpdocs en klik vervolgens op 'OK'
- 6) Je komt nu weer terug bij de pagina van de mappen. Selecteer de zojuist aangemaakte map en klik vervolgens op 'Add new user'



Denit Quality does matter  
hosting solutions

Logged in as [jouweigenwebsite.nl](#) ▾  
Subscription [jouweigenwebsite.nl](#)

Help ▾ Search...

Powered by Parallels

Home Users Websites & Domains Mail Statistics Account

Password protected directories >

### Protected directory /CMS on domain [jouweigenwebsite.nl](#) [Up Level](#)


Tools

[Add New User](#) [Directory Settings](#)

Protected directory users

No Protected directory users

7) Vul bij 'Username' de inlognaam in welke u wenst te gebruiken

A screenshot of the Denit control panel interface. The top navigation bar includes 'Home', 'Users', 'Websites & Domains', 'Mail', 'Statistics', and 'Account'. The user is logged in as 'jouw eigen website.nl'. The main content area is titled 'Create user for the protected directory /CMS'. Under the heading 'Protected directory user', there are four input fields: 'Username' (containing 'jouwinlognaam'), 'Old password' (set to 'None'), 'New password' (with a strength indicator 'Very strong'), and 'Confirm password'. At the bottom, there are 'OK' and 'Cancel' buttons and a note '\* Required fields'.

8) Vul achter 'New password' een door u gewenst wachtwoord in en vul deze nogmaals achter 'Confirm password' in

9) Klik vervolgens op 'OK' en de map is voorzien van een wachtwoord

10) Klik op 'Home' om weer terug te keren naar het hoofdmenu